Design of Gamma Ray Detectors and Associated Readout Electronics for a ⁹²Rb Time Reversal Experiment

TINE VALENCIC MENTOR: JOHN BEHR, TRIUMF CO-MENTOR: PETR VOGEL

Outline

- CPT theorem and connection to baryon asymmetry
- Description of atom trap
- Design of gamma ray detector and acquisition electronics
- Presentation of preliminary results (analysis ongoing)

C, P, and T violation

- Charge symmetry obeyed by gravity, electromagnetism, and strong force, but violated by weak force
- Parity symmetry also violated by weak interaction
- Combined CP violation observed in 1964 in K^0 decay \rightarrow 1980 Nobel Prize (Cronin and Fitch)
- However, CP violation combined with T violation is a symmetry \rightarrow they are equivalent

CPT theorem

- This is formally expressed in the CPT theorem conjugating all charges, flipping parity, and reversing time results in a symmetric system
- Only known combination of C, P, and T which is symmetric
- Theorem widely believed to be true but never proven

CP violation \rightarrow baryon asymmetry


- Sakharov (1967): three conditions to create asymmetry of matter over antimatter
- One of these is CP violation in the early universe
 - The other two are baryon number B violation (unobserved) and interactions outside of thermal equilibrium
- Current amount of CP violation in Standard Model is too small by 10¹⁰ need to find more sources

TRINAT experiment approach

- TRINAT experiment looks for CP violation in radiative β⁻ decay (now ⁹²Rb, next ^{38m}K)
- Look at triple product of products (excluding antineutrino): $p_{recoil} \cdot (p_{\beta} \times p_{\gamma})$
- Time reversal: $t \to -t \Rightarrow p \to -p$
- Thus, under time reversal,

$$p_{recoil} \cdot (p_{\beta} \times p_{\gamma}) \xrightarrow{t \to -t} - p_{recoil} \cdot (p_{\beta} \times p_{\gamma})$$

TRINAT atom trap




Outline of γ detector

- Scintillating material on top of a silicon photomultiplier (SiPM)
- SiPM outputs must be summed and sent to acquisition electronics
- Acquisition must be able to ignore electronic noise while still accepting most real events




Scintillating material - LYSO



OCTOBER 2018

Scintillating material - BGO



OCTOBER 2018

BGO crystal


- 2"x2" diameter crystal and SiPM contained in an optical tube
- Two layers of Teflon + a plastic cap between trap and crystal
- Sides of crystal coated with dielectric mirror film trying to keep scintillation light in crystal

BGO-SiPM coupling


- Face of crystal toward SiPM coated in titanium dioxide
- Silicon gel between BGO and SiPM




Effects of silicon gel



SiPM - wiring



Bottom View




SiPM - wiring

- Four anodes (S_{out}) connected to each other
- Four of the red wires each carry the sum of four anodes fifth provides bias voltage




Data acquisition




Data analysis concerns

- Need to ignore noise γ emitted in only 3% of ⁹²Rb decays
- Low-energy noise is significant bremsstrahlung ("braking radiation") from betas crashing into the Teflon in front of the BGO
- Filtered out most such noise by setting a beta threshold

Beta-gamma timing




Gamma energies in timing peak



Analysis – next steps

- Take 815keV events and plot gamma-ion coincidences
- Each charge state of the ion should have two distinct peaks
- Different shapes and sizes of the two peaks may point toward CP violation



Acknowledgements

- My mentor, Dr. John Behr, TRIUMF
- My co-mentor, Dr. Petr Vogel, Caltech
- Other members of the TRINAT group: Dr. Alexandre Gorelov, Dr. Melissa Anholm, James McNeil, Daniel Schultz
- the Caltech SURF program

References

Andrei Sakharov. Violation of cp invariance, c asymmetry, and baryon asymmetry of the universe. ZhETF Pisma, 5:32–35, 1967.

Brookhaven National Laboratory. Chart of Nuclides.

Glenn F. Knoll. *Radiation Detection and Measurement*. John Wiley and Sons, 4th edition, 2010.

J.J. Sakurai. Modern Quantum Mechanics. Addison-Wesley, 1993.

John Behr. TRIUMF EEC Progress Report Detailed Statement S1603 - TRV in βvγ decay. 2018.

Martin Janecek. Reflectivity Spectra for Commonly Used Reflectors. Technical report, US Department of Energy, 2012.

SENSL. ArrayJ - High Fill-Factor Arrays of J-Series SiPM Sensors, March 2018.

SENSL. Biasing and Readout of SensL SiPM Sensors, March 2018.

Questions?



OCTOBER 2018